

## 7.3.1 General Training for Conduct of Research

POGO shall be responsible for facilitating and collecting documentation of the POGO Satellite Clinic team's completion of core clinical research training including:

- <u>Tri-Council Policy Statement: Ethical Conduct for Research Involving Humans TCPS 2 (2018)</u>
  (Online Tutorial: <a href="http://tcps2core.ca/welcome">http://tcps2core.ca/welcome</a>)
- <u>International Council for Harmonization of Technical Requirements for Pharmaceuticals for Human Use (ICH) Good Clinical Practice (GCP) training (online)</u>
- <u>Division 5</u> training (online)
  - ICH-GCP training and Division 5 training can both be completed through the <u>Collaborative Institutional Training Initiative (CITI) Program</u>

The completed training certificates will be forwarded to the specialized childhood cancer programs and stored in the study files.

POGO shall be responsible for the collection of DSIs' signed and dated curriculum vitae (CV) and medical licenses. Signed and dated CVs will be collected every two years; medical licenses will be collected yearly. These will be forwarded to the specialized childhood cancer programs and kept with the specialized childhood cancer program physicians' documents.

## **Disclaimer: Source Accuracy**

You are welcome to download and save a local copy of this document in the Word and/or PDF formats provided. As the POGO Satellite Manual is subject to ongoing revisions and updates by POGO, we recommend you regularly check the online version posted at <a href="https://www.pogo.ca/satellite-manual/">https://www.pogo.ca/satellite-manual/</a> to ensure you have the most up-to-date content. In the event of any inconsistency between the content of a local copy and the online version of the POGO Satellite Manual, the content of the online version shall be considered correct. Please see also the POGO Satellite Manual Disclaimer.

## **Record of Updates**

Version Number	Date of Effect		Summary of Revisions
1	2/24/2022	•	Original version posted.